

8 Customers API: How to modify a handle

This is a series of articles dedicated to managing customer objects via Openprovider API.

This is a third article in a series in which we are going to cover customer handle modification. To get more information about our API in general, please use our [documentation portal](#) as your reference.

Modifying a handle

In order to change data of an existing customer handle one has to utilise Update Customer method.

This method takes all the input parameters of [Create Customer method](#) with the exception of user's name fields (or company name). These ones have to stay the same. If you need to change the name of a customer, you can do so by cloning an existing handle or creating it anew.

↓ Use endpoint path below. Base URL is determined by both the target environment and API version.

```
PUT {base\_url}/customers/{handle}
```

REQUEST VALUES

Name	Type	Description
vat	string	Optional.
address	string	Optional.
phone	various	Optional.
fax	various	Optional.
email	various	Optional.
additional_data	various	Optional.
extension_additional_data	various	Required for some TLDs
tags	varchar	Optional.

REQUEST EXAMPLE

```
curl -X PUT \
https://api.openprovider.eu/v1beta/customers/XX123456-XX \
-H 'Authorization: Bearer f106428d5016*****1fd9537823' \
-H 'Accept: application/json' \
-H 'Content-Type: application/json' \
-X POST \
-d '{
  "additional_data": {
    "birth_address": "test street 45",
    "birth_city": "Test city",
    "birth_country": "NL",
    "birth_date": "1970-01-01",
    "birth_state": "Testprovince",
    "birth_zipcode": "0123",
    "cif_nif_number": "",
    "company_registration_city": "Testcity",
    "company_registration_number": "12345678",
    "company_registration_subscription_date": "2000-01-01",
    "cost_category": "",
    "cost_center": "",
    "headquarters_address": "Test street 5",
    "headquarters_city": "Testcity",
    "headquarters_country": "NL",
    "headquarters_state": "Testprovince",
    "headquarters_zipcode": "0123",
    "internal_reference": "",
    "passport_number": "0123456",
    "project_code": "",
    "purchase_order_number": "",
    "social_security_number": "6543210"
  },
  "address": {
    "city": "Test city",
    "country": "NL",
    "number": "1",
    "state": "Testprovince",
    "street": "Test street",
    "suffix": "A",
    "zipcode": "0123"
  },
  "comments": "Some comment here",
  "email": "test@mail.tld",
  "extension_additional_data": [
    {
      "data": {
        "admin_type": "1",
        "applicant_purpose": "P3",
        "birth_date": "1970-01-01",
        "company_name_cyrillic": "Example company",
```

```
"company_name_latin": "Example company",
"company_registration_number": "XX123456789X11",
"contact_title": "CEO",
"ens_auth_id": "",
"ens_key": "",
"first_name_cyrillic": "Test",
"first_name_latin": "Test",
"hr_member": "",
"industry_class": "19",
"is_private_entrepreneur": "",
"last_name_cyrillic": "Person",
"last_name_latin": "Person",
"legal_address_cyrillic": "13245 Country, City, street, 2",
"middle_name_cyrillic": "Nikolaevich",
"middle_name_latin": "Nikolaevich",
"mobile_phone_number": "+7 (123) 456-78-90",
"nexus_category": "C31",
"org_type": "1",
"passport_issue_date": "2009-01-11",
"passport_issuer": "Issuer name",
"passport_number": "12345678",
"passport_series": "1234",
"postal_address_cyrillic": "12345 Country, City, street, 1",
"social_security_number": "X123455123X",
"tax_payer_number": "1345678",
"uin": "12345-6",
"user_type": "Individual",
"vat": "12345678",
"website": "http://example.com",
"whois_email": "test@mail.tld"
},
"name": "ru"
},
],
"fax": {
"area_code": "001",
"country_code": "+01",
"subscriber_number": "123456"
},
"handle": "XX123456-XX",
"locale": "nl_NL",
"phone": {
"area_code": "10",
"country_code": "+01",
"subscriber_number": "123456"
},
"tags": [
{
"key": "customer",
"value": "VIP"
}
],
```

```
"vat": "NL123456789X11"  
}
```

RESPONSE EXAMPLE

```
{  
  "code": 0,  
  "data": {  
    "success": true  
  },  
  "desc": ""  
}
```

Depending on the outcome, one will either receive code 0 (in case of success) or an error code with an error message.

Revision #5

Created 2026-08-13 10:01:35 UTC by Sarath

Updated 2026-08-20 19:03:38 UTC by Sarath